

# AS SERIE

 **evolution**  
CONCEPT

english

italiano

français

deutsch

español

nederlands




cranes without compromise


**FASSI**

CRANES WITHOUT COMPROMISE


**F185AS.21**




**F185AS.22**




**F185AS.23**




**F210ASXP.21**



**F210ASXP.22**




**F210ASXP.23**




	tm	m	m	°	kNm	Mpa	l/min	l	kg
F185AS.21	17,8	8,60	2,45	420	32,5	30,5	45+45	240	2390
F185AS.22	16,9	11,10	4,90	420	32,5	30,5	45+45	240	2585
F185AS.23	15,9	13,65	7,35	420	32,5	30,5	45+45	240	2785
F210ASXP.21	19,3	8,60	2,45	420	32,5	32,5	45+45	240	2390
F210ASXP.22	18,5	11,10	4,90	420	32,5	32,5	45+45	240	2585
F210ASXP.23	17,7	13,65	7,35	420	32,5	32,5	45+45	240	2785


**F215AS.22**




**F215AS.23**




**F215AS.24**




**F240ASXP.22**



**F240ASXP.23**




**F240ASXP.24**




	tm	m	m	°	kNm	Mpa	l/min	l	kg
F215AS.22	22,00	11,10	4,90	420	33,5	30,5	40+40	120	2750
F215AS.23	21,15	13,65	7,35	420	33,5	30,5	40+40	120	2950
F215AS.24	20,40	16,15	9,80	420	33,5	30,5	40+40	120	3150
F240ASXP.22	23,85	11,10	4,90	420	33,5	32,5	40+40	120	2750
F240ASXP.23	23,00	13,65	7,35	420	33,5	32,5	40+40	120	2950
F240ASXP.24	22,30	16,15	9,80	420	33,5	32,5	40+40	120	3150


**F185AS.21  
F210ASXP.21**





**F185AS.22  
F210ASXP.22**




**F185AS.23  
F210ASXP.23**




	STANDARD	EXTRA	SUPEREXTRA
A	1165	1780	2180
B	4590	5820	6620




**F215AS.22  
F240ASXP.22**





**F215AS.23  
F240ASXP.23**



**F215AS.24  
F240ASXP.24**



	STANDARD	EXTRA
A	1850	2180
B	5980	6640



Dati e dimensioni sono forniti a titolo indicativo e non impegnativo - Toutes les données et descriptions sont fournies à titre indicatif, sans engagement - Unverbindliche Angaben, Konstruktionsänderungen vorbehalten  
Data and descriptions are approximate and not binding - Datos y descripciones todos a título indicativo y no imperativo - Specificaties zijn niet bindend, wijzigingen derhalve voorbehouden



FASSI GRU S.p.A. - Via Roma, 110 - 24021 Albino (Bergamo) ITALY  
Tel- +39 035 776400 - Fax +39 035 755020  
<http://www.fassigroup.com> E-mail: [fassigroup.com](mailto:fassigroup.com)

